

REFERENCES

REFERENCES

- Ahmed, O., and Dablood, A. (2017). Quality Improvement of the DNA extracted by boiling method in Gram negative bacteria. *international journal of bioassays*. 6, 5347-5349.
- Aman, R., Mahas, A., and Mahfouz, M. (2020). Nucleic Acid Detection Using CRISPR/Cas Biosensing Technologies. *ACS Synthetic Biology*. 9(6), 1226-1233.
- Broughton, J. P., Deng, X., Yu, G., Fasching, C. L., Servellita, V., Singh, J., Miao, X., Streithorst, J. A., Granados, A., and Sotomayor-Gonzalez, A. (2020). CRISPR–Cas12-based detection of SARS-CoV-2. *Nature Biotechnology*. 38(7), 870-874.
- Bzdyl, N. M., Moran, C. L., Bendo, J., and Sarkar-Tyson, M. (2022). Pathogenicity and virulence of *Burkholderia pseudomallei*. *Virulence*. 13(1), 1945-1965.
- Chantratita, N., Meumann, E., Thanwisai, A., Limmathurotsakul, D., Wuthiekanun, V., Wannapasni, S., Tumapa, S., Day, N. P., and Peacock, S. J. (2008). Loop-mediated isothermal amplification method targeting the TTS1 gene cluster for detection of *Burkholderia pseudomallei* and diagnosis of melioidosis. *Journal of Clinical Microbiology*. 46(2), 568-573.
- Ding, X., Yin, K., Li, Z., and Liu, C. (2020). All-in-One dual CRISPR-cas12a (AIOD-CRISPR) assay: a case for rapid, ultrasensitive and visual detection of novel coronavirus SARS-CoV-2 and HIV virus. *BioRxiv*.
- Duangurai, T., Indrawattana, N., and Pumirat, P. (2018). *Burkholderia pseudomallei* adaptation for survival in stressful conditions. *BioMed Research International*. Int. 2018.
- Gassiep, I., Armstrong, M., and Norton, R. (2020). Human *Melioidosis*. *Clinical Microbiology Reviews*. 33(2).
- Hemarajata, P., Baghdadi, J. D., Hoffman, R., and Humphries, R. M. (2016). *Burkholderia pseudomallei*: challenges for the clinical microbiology laboratory. *Journal of Clinical Microbiology*. 54(12), 2866-2873.

- Jolany vangah, S., Katalani, C., Boone, H. A., Hajizade, A., Sijercic, A., and Ahmadian, G. (2020). CRISPR-Based Diagnosis of Infectious and Noninfectious Diseases. *Biological Procedures Online*. 22(1), 22.
- Karunanayake, P. (2022). Melioidosis: clinical aspects. *Clinical Medicine journal – London*. 22(1), 6-8.
- Lee, Y. H., Chen, Y., Ouyang, X., and Gan, Y.-H. (2010). Identification of tomato plant as a novel host model for *Burkholderia pseudomallei*. *BMC Microbiology*. 10(1), 28.
- Li, B., Yan, J., Zhang, Y., Li, W., Zeng, C., Zhao, W., Hou, X., Zhang, C., and Dong, Y. (2020). CRISPR-Cas12a Possesses Unconventional DNase Activity that Can Be Inactivated by Synthetic Oligonucleotides. *Molecular Therapy Nucleic Acids*. 19, 1043-1052.
- Mao, Z., Chen, R., Wang, X., Zhou, Z., Peng, Y., Li, S., Han, D., Li, S., Wang, Y., Han, T., Liang, J., Ren, S., and Gao, Z. (2022). CRISPR/Cas12a-based technology: A powerful tool for biosensing in food safety. *Trends in Food Science & Technology*. 122, 211-222.
- Novak, R. T., Glass, M. B., Gee, J. E., Gal, D., Mayo, M. J., Currie, B. J., and Wilkins, P. P. (2006). Development and evaluation of a real-time PCR assay targeting the type III secretion system of *Burkholderia pseudomallei*. *Journal of Clinical Microbiology*. 44(1), 85-90.
- Peng, Y., Zheng, X., Kan, B., Li, W., Zhang, W., Jiang, T., Lu, J., and Qin, A. (2019). Rapid detection of *Burkholderia pseudomallei* with a lateral flow recombinase polymerase amplification assay. *PLoS One*. 14(7), e0213416.
- Rust, A., Shah, S., Hautbergue, G. M., and Davletov, B. (2018). Burkholderia Lethal Factor 1, a Novel Anti-Cancer Toxin, Demonstrates Selective Cytotoxicity in MYCN-Amplified Neuroblastoma Cells. *Toxins (Basel)*. 10(7).
- Selvam, K., Khalid, M. F., Mustaffa, K. M. F., Harun, A., and Aziah, I. (2021). BipD of *Burkholderia pseudomallei*: Structure, Functions, and Detection Methods. *Microorganisms*. 9(4), 711.
- Thibault, F. M., Valade, E., and Vidal, D. R. (2004). Identification and discrimination of *Burkholderia pseudomallei*, *B. mallei*, and *B. thailandensis* by real-time PCR

- targeting type III secretion system genes. *Journal of Clinical Microbiology*. 42(12), 5871-5874.
- Vander Broek, C. W., and Stevens, J. M. (2017). Type III Secretion in the Melioidosis Pathogen *Burkholderia pseudomallei*. *Frontiers in Cellular and Infection Microbiology*. 7, 255.
- Wang, X., Ji, P., Fan, H., Dang, L., Wan, W., Liu, S., Li, Y., Yu, W., Li, X., Ma, X., Ma, X., Zhao, Q., Huang, X., and Liao, M. (2020). CRISPR/Cas12a technology combined with immunochromatographic strips for portable detection of African swine fever virus. *Communications Biology*. 3(1), 62.
- Wiersinga, W. J., van der Poll, T., White, N. J., Day, N. P., and Peacock, S. J. (2006). Melioidosis: insights into the pathogenicity of *Burkholderia pseudomallei*. *Nat. Rev. Microbiol.* 4(4), 272-282.
- Wiersinga, W. J., Virk, H. S., Torres, A. G., Currie, B. J., Peacock, S. J., Dance, D. A., and Limmathurotsakul, D. (2018). Melioidosis. *Nature reviews Disease primers*. 4(1), 1-22.
- Winstanley, C., Hales, B. A., and Hart, C. A. (1999). Evidence for the presence in *Burkholderia pseudomallei* of a type III secretion system-associated gene cluster. *Journal of Medical Microbiology*. 48(7), 649-656.
- Wongpalee, S. P., Thananchai, H., Chewapreecha, C., Roslund, H. B., Chomkatekaew, C., Tananupak, W., Boonklang, P., Pakdeerat, S., Seng, R., Chantratita, N., Takarn, P., and Khamnoi, P. (2022). Highly specific and sensitive detection of *Burkholderia pseudomallei* genomic DNA by CRISPR-Cas12a. *PLOS Neglected Tropical Diseases*. 16(8), e0010659.
- Xiong, Y., Zhang, J., Yang, Z., Mou, Q., Ma, Y., Xiong, Y., and Lu, Y. (2020). Functional DNA Regulated CRISPR-Cas12a Sensors for Point-of-Care Diagnostics of Non-Nucleic-Acid Targets. *Journal of the American Chemical Society*. 142(1), 207-213
- Zhang, J.-X., Xu, J.-H., Yuan, B., Wang, X.-D., Mao, X.-h., Wang, J.-L., Zhang, X.-L.-L., and Yuan, Y. (2023). Detection of *Burkholderia pseudomallei* with CRISPR-Cas12a based on specific sequence tags. *Frontiers in Public Health*. 11, 1153352.