

รายการอ้างอิง

รายการอ้างอิง

- [1] มนัส สติรจินดา (2536). เหล็กหล่อ. พิมพ์ครั้ง4, กรุงเทพฯ: วิศวกรรมสถานแห่งประเทศไทย, 130หน้า
- [2] H. Takeda, K. Asano, and H. Yoneda. Effect of Bismuth on Refinement of Graphite in Thin Wall Spheroidal Graphite Cast Iron. International Journal of Cast Metals Research 21, no. 1–4 81–85 (2008).<https://doi.org/10.1179/136404608X361710>
- [3] H. Takeda, H. Yoneda, and K. Asano, Effect of Silicon and Bismuth on Solidification Structure of Thin Wall Spheroidal Graphite Cast Iron. Materials Transactions 51, 176-185 (2010). <https://doi.org/10.2320/matertrans.M2009255>
- [4] W. Baer, Chunky Graphite in Ferritic Spheroidal Graphite Cast Iron: Formation, Prevention, Characterization, Impact on Properties: An Overview. Inter Metalcast 14, 454–488 (2020). <https://doi.org/10.1007/s40962-019-00363-8>
- [5] H. Itofuji, H. Uchikawa, Formation mechanism of chunky graphite in heavy-section ductile cast irons. Trans. AFS 98, 429–448 (1990)
- [6] H. Itofuji, & Masutani, A. (2001). Nucleation and growth behaviour of chunky graphite. International Journal of Cast Metals Research, 14(1), 1–14. <https://doi.org/10.1080/13640461.2001.11819419>
- [7] J. Sertucha, R. Suárez, I. Asenjo, P. Larranaga, J. Lacaze, I. Ferrer, S. Armendariz, Thermal analysis of the formation of chunky graphite during solidification of heavy-section spheroidal graphite iron parts. ISIJ Int. 49(2), 220–228 (2009). <https://doi.org/10.2355/isijinternational.49.220>
- [8] D.M. Stefanescu, Solidification and modeling of cast iron—a short history of the defining moments. Mater.Sci. Eng. A 413–414, 322–333 (2005). <https://doi.org/10.1016/j.msea.2005.08.180>

รายการอ้างอิง (ต่อ)

- [9] H. Nakayama, B.-R. Zhao, N. Furusato, S. Yamada, T. Nishi, H. Ohta, Effect of amount of chunky graphite on mechanical properties of spheroidal graphite cast iron. Mater. Trans. 59(3), 412–419 (2018). <https://doi.org/10.2320/matertrans.M2017305>
- [10] S. Liang, G. Erjun, T. Chang-long, Effect of Bi on graphite morphology and mechanical properties of heavy section ductile cast iron. China Foundry 11, 125-131 (2014)
- [11] P. Ferro, A. Fabrizi, R. Cervo, C. Carollo, Effect of inoculant containing rare earth metals and bismuth on microstructure and mechanical properties of heavy-section near-eutectic ductile iron castings, Journal of Materials Processing Technology 213, 1601-1608 (2013). <https://doi.org/10.1016/j.jmatprotec.2013.03.012>
- [12] Z. Glavas, A. Strkalj, K. Maldini and F. Kozina, Effect of Bismuth and Rare Earth Elements on Graphite Structure in Different Section Thicknesses of Spheroidal Graphite Cast Iron Castings, Arch. Metall. Mater. 63, 1547-1553 (2018).
- [13] H. Horie, T. Kowata and A. Chida, Influence of Bismuth on Graphite Nodule Count in Thin-section Spheroidal-graphite Cast Irons, International Journal of Cast Metals Research 2, 197-202 (1989).
- [14] F. Yicheng, M. Mengdi, W. Changliang et al. Effect of Trace Element Bi on Microstructure and Mechanical Properties of Ductile Cast Iron with Different Wall Thickness. Trans Indian Inst Met 76, 2669–2679 (2023). <https://doi.org/10.1007/s12666-022-02856-3>
- [15] W.L. Gao, G. Cen, Z.C. Yan, X.F. Song, Effect of Bi on the microstructure and mechanical properties of heavy section ductile cast iron, Journal of Hunan University Natural Sciences 40(6): 74-79 (2013)

รายการอ้างอิง (ต่อ)

- [16] L.Song, E. Guo, C. Tan, Effect of Bi on graphite morphology and mechanical properties of heavy section ductile cast iron, *China Foundry* 11(2): 125-131 (2014). <https://doi.org/10.3969/j.issn.1672-6421.2014.02.009>
- [17] B. Bauer, I. Mihalic Pokopec, M. Petrič, et al. Effect of Bismuth on Preventing Chunky Graphite in High-Silicon Ductile Iron Castings. *Inter Metalcast* 14, 1052–1062 (2020). <https://doi.org/10.1007/s40962-020-00419-0>
- [18] B. Bauer, I. Mihalic Pokopec, P. Mrvar, et al. Influence of Chemical Composition and Cooling Rate on Chunky Graphite Formation in Thick-Walled Ductile Iron Castings. *Inter Metalcast* 17, 2050–2061 (2022). <https://doi.org/10.1007/s40962-022-00913-7>
- [19] E.N. Pan, C.Y. Chen, Effects of Bi and Sb on Graphite Structure of Heavy-section Ductile Cast Iron. *AFS Trans.* 104, 845–858 (1996)
- [20] F. Stieler, D. Funk, B. Tonn, Alteration of the Graphite Morphology in Solid Solution-Strengthened Ductile Iron Due to High Contents of Cerium and Bismuth. *Inter Metalcast* 17, 1315–1325 (2023). <https://doi.org/10.1007/s40962-022-00857-y>
- [21] T. Beach, J. Clayton, P. Leblang, et al. The Effects of MgFeSi and Inoculant Selection on Microstructure and Mechanical Properties of Varying Section Size Ductile Iron Castings. *Inter Metalcast* (2024). <https://doi.org/10.1007/s40962-024-01265-0>
- [22] T. Margaria, R. Siclari, Inoculant Products Comprising Bismuth and Rare Earth (U.S. Patent No. 7,569,092 B2). U.S. Patent and Trademark Office, 2009
- [23] วิษณุ เจริญกนก (2563). การแข็งตัวของโลหะ. เอกสารประกอบการสอนวิชาวศuvิกรรม. ภาควิชาวศuvิกรรมวัสดุและโลหการ คณะวศuvิกรรมศาสตร์ มหาวิทยาลัยเทคโนโลยีราชมงคลธัญบุรี, หน้า 59-66

รายการอ้างอิง (ต่อ)

- [24] Donald R. Askeland. and Pradeep P. Phulé. (2003). *The Science and Engineering of Materials*, 4th Edition, USA: Thomson Learning, Inc.
- [25] สารัมภ์ บุญมี (2565). การหลอมและการควบคุมคุณภาพโลหะหลอมเหลว. คู่มือวิศวกรรมการหล่อโลหะ สาขาวิชาวิศวกรรมโลหการ มหาวิทยาลัยเทคโนโลยีสุรนารี,
- [26] สารัมภ์ บุญมี (2556). เหล็กหล่อแต่ละประเภท. เอกสารประกอบการสอนโลหการกายภาพ 3 สาขาวิชาวิศวกรรมโลหการ มหาวิทยาลัยเทคโนโลยีสุรนารี
- [27] Standard Specification for Ductile Iron Castings. (ASTM International, 2019)
- [28] A. Kishimoto, T. Uda, Thermodynamics on the Bi-Fe-Ti System and the Gibbs Energy of Bi₉Ti₈. Metall Mater Trans B 49, 2975–2985 (2018). <https://doi.org/10.1007/s11663-018-1393-6>
- [29] J.W. Arblaster, Selected Values of the Crystallographic Properties of Elements. Materials Park, Ohio, (ASM International, 2008)
- [30] P. Patnaik, Handbook of Inorganic Chemical Compounds. (McGraw-Hill, 2003) p. 243
- [31] N. Greenwood, A. Earnshaw, Chemistry of the Elements (2nd ed.). (Butterworth-Heinemann, 1997)
- [32] W.M. Haynes, CRC Handbook of Chemistry and Physics (92nd ed.). Boca Raton, Florida, (CRC Press, 2011). p. 4.74
- [33] C. Bradford, C.B. O'Donnell, B. Urbaszek, A. Balocchi, C. Morhain, K.A Prior, B.C. Cavenett, Growth of zinc blende MgS/ZnSe single quantum wells by molecular-beam epitaxy using ZnS as a sulphur source. Appl. Phys. Lett. 76 (26): 3929-3921 (2000) <https://doi.org/10.1063/1.126824>

รายการอ้างอิง (ต่อ)

- [34] K.T. Jacob, Amal K. Mansoor, Gibbs energy of formation of bismuth (III) oxide, *Thermochimica Acta* 630: 90-96 (2016) <https://doi.org/10.1016/j.tca.2016.02.006>