

รายการอ้างอิง

- สุจินต์ บุรีรัตน์. การหาค่าเหมาะที่สุดของระบบทางวิศวกรรมเครื่องกล. ภาควิชาวิศวกรรมเครื่องกล, คณะวิศวกรรมศาสตร์ มหาวิทยาลัยขอนแก่น; 2556.
- อิศระ เชิดชู. (2548). อากาศพลศาสตร์. แผนกวิทยาการ, กองวิทยาการ กรมช่างอากาศ.
- Abbott, I. H., & Von Doenhoff, A. E. (2012). Theory of wing sections: including a summary of airfoil data. Courier Corporation.
- Anderson, J. (2011). EBOOK: Fundamentals of Aerodynamics (SI units). McGraw hill.
- Ariyarat, A., & Kanazaki, M. (2017). Multi-fidelity multi-objective efficient global optimization applied to airfoil design problems. Applied Sciences, 7(12), 1318.
- Ariyarat, A., Phiboon, T., Kanazaki, M., & Bureerat, S. (2020). The effect of multi-additional sampling for multi-fidelity efficient global optimization. Symmetry, 12(9), 1499.
- Blazek, J. (2015). Computational fluid dynamics: principles and applications. Butterworth-Heinemann.
- Carnell, R. (2022, March 21). Basic latin hypercube samples and designs with package LHS. Retrieved November 25, 2022, from https://cran.r-project.org/web/packages/lhs/vignettes/lhs_basics.html.
- Deb, K., Pratap, A., Agarwal, S., & Meyarivan, T. A. M. T. (2002). A fast and elitist multiobjective genetic algorithm: NSGA-II. IEEE transactions on evolutionary computation, 6(2), 182-197.
- Dündar, Ö., Bilici, M., & Ünler, T. (2020). Design and performance analyses of a fixed wing battery VTOL UAV. Engineering Science and Technology, an International Journal, 23(5), 1182-1193.
- Fish, J., & Belytschko, T. (2007). A first course in finite elements (Vol. 1). New York: Wiley.

- FR, M. (1994). Two-equation eddy-viscosity turbulence models for engineering applications. *AIAA J*, 32, 269-289.
- Huang, L., Gao, Z., & Zhang, D. (2013). Research on multi-fidelity aerodynamic optimization methods. *Chinese Journal of Aeronautics*, 26(2), 279-286.
- Jin, W., & Lee, Y. G. (2015). Drag reduction design for a long-endurance electric powered UAV. *International Journal of Aeronautical and Space Sciences*, 16(2), 311-324.
- Kishi, Y., Kitazaki, S., Ariyarat, A., Makino, Y., & Kanazaki, M. (2019). Planform dependency of optimum cross-sectional geometric distributions for supersonic wing. *Aerospace Science and Technology*, 90, 181-193.
- Kontogiannis, S. G., & Ekaterinaris, J. A. (2013). Design, performance evaluation and optimization of a UAV. *Aerospace science and technology*, 29(1), 339-350.
- Liang, Y., Cheng, X. Q., Li, Z. N., & Xiang, J. W. (2011). Robust multi-objective wing design optimization via CFD approximation model. *Engineering Applications of Computational Fluid Mechanics*, 5(2), 286-300.
- Makauskas, P. (2022). Comparison of FDM, FVM with NN for solving the forward problem (Doctoral dissertation, Kauno technologijos universitetas).
- Olivier Cleynen - Own work, CC BY-SA 3.0, <https://commons.wikimedia.org/w/Index.php?curid=18922264>
- Phiboon, T., Khankwa, K., Petcharat, N., Phoksombat, N., Kanazaki, M., Kishi, Y., ... & Ariyarat, A. (2021). Experiment and computation multi-fidelity multi-objective airfoil design optimization of fixed-wing UAV. *Journal of Mechanical Science and Technology*, 35(9), 4065-4072.
- Pymoo - NSGA-II: Non-dominated Sorting Genetic Algorithm. (n.d.). <https://pymoo.org/algorithms/moo/nsga2.html>
- Spalart, P., & Allmaras, S. (1992, January). A one-equation turbulence model for aerodynamic flows. In *30th aerospace sciences meeting and exhibit* (p. 439).
- Talay, T. A., *Introduction to the Aerodynamics of Flight*, NASA SP-367, 1975.

- Wang, K., Han, Z., Zhang, K., & Song, W. (2023). Efficient Global Aerodynamic Shape Optimization of a Full Aircraft Configuration Considering Trimming. *Aerospace*, 10(8), 734.
- Wilcox, D. C. (1998). *Turbulence modeling for CFD* (Vol. 2, pp. 103-217). La Canada, CA: DCW industries.
- Žilinskas, A. (2006). *Practical mathematical optimization: An introduction to basic optimization theory and classical and new gradient-based algorithms*.
- ZADEH, P. M., & Sayadi, M. (2018). An efficient aerodynamic shape optimization of blended wing body UAV using multi-fidelity models. *Chinese Journal of Aeronautics*, 31(6), 1165-1180.