

## รายการอ้างอิง

- มหาราชมงคล, ก. (2558). การปรับสภาพพื้นผิวของเส้นใยเซลลูโลสจากฟางข้าวด้วยไฮเลนเพื่อใช้เป็นวัสดุเสริมแรงในเรซินอีพ็อกซี (วิทยานิพนธ์มหาบัณฑิต).
- สำนักโรคจากการประกอบอาชีพและสิ่งแวดล้อม (2556). องค์ความรู้ด้านการก่ออันตรายของสารกำจัดศัตรูพืชที่ต้องเฝ้าระวัง.
- สำนักควบคุมพืชและวัสดุการเกษตร กรมวิชาการเกษตร (2566). รายละเอียดการนำเข้าวัตถุอันตรายทางการเกษตร ปี พ.ศ. 2560-2566.
- สำนักงานคณะกรรมการอ้อยและน้ำตาลทราย (2566). รายงานสถานการณ์การเพาะปลูกอ้อย ปีการผลิต 2565/66. กลุ่มเทคโนโลยีสารสนเทศ กองยุทธศาสตร์และแผนงาน
- อนุสรณ์ แก้วการ (2562). การสังเคราะห์เหล็กขนาดนาโนเมตรด้วยสารสกัดใบยูคาลิปตัส และคลื่นอัลตราโซนิกสำหรับการบำบัดสารไกลโฟเซตในดิน โดยใช้ปฏิกิริยาเสมือนเฟ้นต้น.
- Acero, J. L., Benítez, F. J., Real, F. J., & Rodríguez, E. (2018). Degradation of selected emerging contaminants by UV-activated persulfate: Kinetics and influence of matrix constituents. *Separation and Purification Technology*, 201, 41–50.
- Aegerter, M.A.; Leventis, N.; Koebel, M.M. *Aerogels Handbook*; Springer: New York, NY, USA, 2011.
- Ahmad, H. B., Abbas, Y., Hussain, M., Akhtar, N., Ansari, T. M., Zuber, M., Zia, K. M., & Arain, S. A. (2014). Synthesis and application of alumina supported nano zero valent zinc as adsorbent for the removal of arsenic and nitrate. *Korean Journal of Chemical Engineering*, 31(2), 284-288. <https://doi.org/10.1007/s11814-013-0219-0>
- ElKhatat, A.M., & Al-Muhtaseb, S.A. (2011). Advances in tailoring resorcinol–formaldehyde organic and carbon gels. *Advanced Materials*, 23(26), 2887–2903.
- Anirudhan T, Deepa J (2017) Nano-zinc oxide incorporated graphene oxide/nano cellulose composite for the adsorption and photocatalytic degradation of ciprofloxacin hydrochloride from aqueous solutions. *Colloid Interface Sci* 490:343–356.
- Bian Y, He B, Li J. Preparation of cellulosebased fluorescent materials using Zinc sulphide quantum dot-decorated graphene by a one-step hydrothermal method. *Cellulose*. 2016 Aug;23:2363-73.
- Cong, L., Guo, J., Liu, J., Shi, H., & Wang, M. (2015). Rapid degradation of endosulfan by zero-valent zinc in water and soil. *Journal of Environmental Management*, 150, 451–455. <https://doi.org/10.1016/j.jenvman.2014.12.028>

- Chang, C. F., & Lee, S. C. (2012). Adsorption behavior of pesticide methomyl on activated carbon in a high gravity rotating packed bed reactor. *Water Research*, 46(10), 2869–2876. <https://doi.org/10.1016/j.watres.2012.02.041>
- Cheng, H., Gu, B., Pennefather, M. P., Nguyen, T. X., Phan-Thien, N., & Duong, H. M. (2017). Cotton aerogels and cotton-cellulose aerogels from environmental waste for oil spillage cleanup. *Materials & Design*, 130, 452–458. <http://dx.doi.org/10.1016/j.matdes.2017.05.082>
- Choi, J.-H., & Kim, Y.-H. (2009). Reduction of 2,4,6-trichlorophenol with zero-valent zinc and catalyzed zinc. *Journal of Hazardous Materials*, 166(2–3), 984–991. <https://doi.org/10.1016/j.jhazmat.2008.12.004>
- Dai, Y., Zhang, T., Jing, Z., Li, Z., Zhu, Y., Qiu, F., Pan, J., & Li, C. (2022). Efficient cellulose aerogel biosorbents functionalized by nanosized zero-valent iron: Isotherms, kinetics, thermodynamics and mechanism of tellurium adsorption. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 651, 129765. <https://doi.org/10.1016/j.colsurfa.2022.129765>
- Dilamian, M., & Noroozi, B. (2021). Rice straw agri-waste for water pollutant adsorption: Relevant mesoporous super hydrophobic cellulose aerogel. *Carbohydrate Polymers*, 251, 117016. <https://doi.org/10.1016/j.carbpol.2020.117016>
- Dong, H., Wang, B., Li, L., Wang, Y., Ning, Q., Tian, R., Li, R., Chen, J., & Xie, Q. (2019). Activation of persulfate and hydrogen peroxide by using sulfide-modified nanoscale zero-valent iron for oxidative degradation of sulfamethazine: A comparative study. *Separation and Purification Technology*, 218, 113–119. <https://doi.org/10.1016/j.seppur.2019.02.052>
- Dong, H., Zhang, C., Deng, J., Jiang, Z., Zhang, L., Cheng, Y., et al., 2018. Factors influencing degradation of trichloroethylene by sulfide-modified nanoscale zero-valent iron in aqueous solution. *Water Res.* 135, 1–10.
- Dong, N., Qin, Z., Li, W., Xiang, N., Luo, X., Ji, H., Wang, Z., & Xie, X. (2023). Temperature-Sensitive Aerogel Using Bagasse Carboxylated Cellulose Nanocrystals/N-Isopropyl Acrylamide for Controlled Release of Pesticides. *Polymers*, 15(22), 4451. <https://doi.org/10.3390/polym15224451>
- Ebrahimi, A., Dahrazma, B., & Adelifard, M. (2020). Facile and novel ambient pressure drying approach to synthesis and physical characterization of cellulose-based aerogels. *Journal of Porous Materials*, 27(4), 1219–1232. doi:10.1007/s10934-020-00901-4
- Ecobichon DJ. Pesticide use in developing countries. *Toxicology*. 2001 Mar 7;160(1-3):27-33. doi: 10.1016/s0300-483x(00)00452-2. PMID: 11246121.

- El-Geundi, M. S., Nassar, M. M., Farrag, T. E., & Ahmed, M. H. (2013). Methomyl adsorption onto cotton stalks activated carbon (CSAC): Equilibrium and process design. *Procedia Environmental Sciences*, 17, 630–639. <https://doi.org/10.1016/j.proenv.2013.02.079>
- Fan, C., & Liao, M.-C. (2009). The mechanistic and oxidative study of methomyl and parathion degradation by Fenton process. *International Journal of Chemical and Molecular Engineering*, 3(11), International Scholarly and Scientific Research & Innovation, 3(11).
- Furman, O. S., Teel, A. L., & Watts, R. J. (2010). Mechanism of base activation of persulfate. *Environmental Science & Technology*, 44(16),6426428.<https://doi.org/10.1021/es101096q>
- Ghauch, A., 2008. Rapid removal of flutriafol in water by zero-valent iron powder. *Chemosphere* 71, 816-826.
- Guo, J., Zhu, L., Sun, N., & Lan, Y. (2017). Degradation of nitrobenzene by sodium persulfate activated with zero-valent zinc in the presence of low frequency ultrasound. *Journal of the Taiwan Institute of Chemical Engineers*, 000, 1–7.
- Guo, Q., Li, M., Tian, L., & Zhang, Y. (2022). Enhanced adsorption and structure regulation of modified cellulose aerogels via metal nanoparticle incorporation. *Journal of Hazardous Materials*, 424, 127332. <https://doi.org/10.1016/j.jhazmat.2021.127332>
- Hamitouche, A., Haffas, M., Boudjemaa, A., Benammar, S., Sehailia, M., & Bachari, K. (2017). Efficient biosorption of methylene blue, malachite green and methyl violet organic pollutants on biomass derived from *Anethum graveolens*: An eco-benign approach for wastewater treatment. *Desalination and Water Treatment*, 89, 250–260. <https://doi.org/10.5004/dwt.2017.20615>
- Hao, N. T., Nguyen, H., Nguyen, L., Do, K. N., & Vu, L. D. (2020). Efficient removal of ciprofloxacin in aqueous solutions by zero-valent metal-activated persulfate oxidation: A comparative study. *Journal of Water Process Engineering*, 35, 101199.
- Hayat, W., Zhang, Y., Huang, S., Hussain, I., & Huang, R. (2021). Insight into the degradation of methomyl in water by peroxymonosulfate. *Journal of Environmental Chemical Engineering*, 9(3), 105358. <https://doi.org/10.1016/j.jece.2021.105358>.
- Hayat, W., Zhang, Y., Liu, Z., & Du, X. (2023). Comparison of the efficiencies of pyrite and zero-valent iron activated peroxydisulfate systems to degrade methomyl in water. *Separation and Purification Technology*, 306, 122619. <https://doi.org/10.1016/j.seppur.2022.122619>

- Ji, Y., Wen, Y., Wang, Z., Zhang, S., Guo, M., 2020. Eco-friendly fabrication of a cost effective cellulose nanofiber-based aerogel for multifunctional applications in Cu (II) and organic pollutants removal. *J. Clean. Prod.* 255, 120276.
- Keshavarz, L., Ghaani, M. R., MacElroy, J. D. M., & English, N. J. (2021). A comprehensive review on the application of aerogels in CO<sub>2</sub>-adsorption: Materials and characterisation. *Chemical Engineering Journal*, 412, 128604. <https://doi.org/10.1016/j.cej.2021.128604>
- Khani , Ali, Taherkhani, & Samira. (2019). Preparation of Nanosized Zero-Valent zinc (Zn<sup>0</sup>) Immobilized on ZnO as Redox Nanocomposite for Degradation of Methyl Orange from Aqueous Solution. *Journal of Environmental Health and Sustainable Development*. doi:10.18502/jehsd.v4i1.486
- Kistler, S. S. (1931). Coherent expanded aerogels and jellies. *Nature*, 127, 3211.
- Kuhr RJ, Dorough HW (1976) Carbamate insecticides: chemistry, biochemistry and toxicology. CRC Press, Boca Raton
- Li, H., Guo, J., Yang, L., & Lan, Y. (2014). Degradation of methyl orange by sodium persulfate activated with zero-valent zinc. *Separation and Purification Technology*, 132, 168–173. <https://doi.org/10.1016/j.seppur.2014.05.015>
- Li, J., Tan, S., Xu, Z., 2020. Anisotropic nanocellulose aerogel loaded with modified UiO-66 as efficient adsorbent for heavy metal ions removal. *Nanomaterials* 10 (6),1114.
- Liang, C., & Su, H.-W. (2009). Identification of sulfate and hydroxyl radicals in thermally activated persulfate. *Industrial & Engineering Chemistry Research*, 48(11), 5558–5562. <https://doi.org/10.1021/ie9002848>
- Lin, Z., Zhang, W., Pang, S., Huang, Y., Mishra, S., Bhatt, P., & Chen, S. (2020). Current approaches to and future perspectives on methomyl degradation in contaminated soil/water environments. *Molecules*, 25(3), 738. <https://doi.org/10.3390/molecules25030738>
- M. Tamimi, S. Qourzal, A. Assabbane, J.M. Chovelon, C. Ferronato, Y. Ait-Ichou, Photocatalytic degradation of pesticide methomyl: determination of the reaction pathway and identification of intermediate products, *Photochem. Photobiol. Sci.* 5 (2006) 477–482.
- M. Tamimi, S. Qourzal, N. Barka, A. Assabbane, Y. Ait-Ichou, Methomyl degradation in aqueous solutions by Fenton's reagent and the photo-Fenton system, *Sep. Purif. Technol.* 61 (2008) 103–108.

- Maduang, T., Chunhachart, O., and Pawongrat, R. (2018). The Effect on Morphological Change of Cellulose Fibers by Sonochemical-Assisted Pretreatment of Lignocellulosic Biomass. *RMUTSB Academic Journal*. Vol. 6, No. 1, pp. 26-36
- Malato S, Blanco J, Caceres J, Fernandez-Alba AR, Aguera A, Rodriguez A (2002) Photocatalytic treatment of water-soluble pesticides by photo-Fenton and TiO<sub>2</sub> using solar energy. *Catal Today* 76:209–220
- Maleki, H. Durães, L. Portugal, A. (2014) An overview on silica aerogels synthesis and different mechanical reinforcing strategies. *J. Non-Cryst. Solids* 385, 55
- Maleki, H., Durães, L., García-González, C. A., del Gaudio, P., Portugal, A., & Mahmoudi, M. (2016). Synthesis and biomedical applications of aerogels: Possibilities and challenges. *Advances in Colloid and Interface Science*. <https://doi.org/10.1016/j.cis.2016.05.011>
- Misra, R., Satyanarayan, S., & Potle, N. (2013). Treatment of agrochemical/pesticide wastewater by coagulation/flocculation process. *International Journal of Chemical and Physical Sciences*, 2(Special Issue), March. ISSN: 2319-6602.
- McNaught, A.D.; Wilkinson, A. *Compendium of Chemical Terminology*; Blackwell Science Oxford: Cambridge, UK, 1997.
- Melesse, G. T., Hone, F. G., & Mekonnen, M. A. (2022). Extraction of cellulose from sugarcane bagasse: Optimization and characterization. *Advances in Materials Science and Engineering*, 2022, 1712207. <https://doi.org/10.1155/2022/1712207>
- Miles CJ, Oshiro WC (1990) Degradation of methomyl in chlorinated water. *Environ Toxicol Chem* 9:535–540
- Monteagudo, A. Durán, R. González, A.J. Expósito, In situ chemical oxidation of carbamazepine solutions using persulfate simultaneously activated by heat energy, UV light, Fe<sup>2+</sup> ions, and H<sub>2</sub>O<sub>2</sub>, *Appl. Catal. B Environ.* 176–177 (2015) 120–129, <https://doi.org/10.1016/j.apcatb.2015.03.055>.
- Nguyen, S. T., Feng, J., Ngadiman, N. H. A., Le, T. T. H., Huynh, T. T. D., & Nguyen, T. P. (2021). Cellulose aerogels: a review of preparation and applications. *Cellulose*, 28(5), 2649–2695. <https://doi.org/10.1007/s10570-021-03684-w>
- Paulauskiene, T., Uebe, J., Karasu, A.U., Anne, O., 2020. Investigation of cellulose-based aerogels for oil spill removal. *Water, Air, Soil Pollut.* 231 (8), 1–10.
- Parale, V.G. Han, W. Lee, K.-Y. Park, H.-H. (2018) Ambient pressure dried tetrapropoxysilane-based silica aerogels with high specific surface area. *Solid State Sci.* 75,63.bra

- Poletto, M., Pistor, V., & Zattera, A. J. (2012). Structural characteristics and thermal properties of native cellulose. *Cellulose - Fundamental Aspects*, InTech. <https://doi.org/10.5772/50720>
- Pourrezaei, P., Alpatova, A., Khosravi, K., Drzewicz, P., Chen, Y., Chelme-Ayala, P., Gamal El-Din, M., 2014. Removal of organic compounds and trace metals from oil sands process-affected water using zero valent iron enhanced by petroleum coke. *J. Environ. Manage.* 139, 50-58.
- Qiong Bin, Bin Lin, Ke Zhu, Yaqian Shen, Yuanyuan Man, Boyang Wang, Wenjin Chen. (2020). Superior trichloroethylene removal from water by sulfide-modified nanoscale zero-valent iron/graphene aerogel composite. *journal of environmental sciences* 90-102.
- Quoc Ba Thia, Son Truong Nguyenb, Duong Khanh Hob, Tuan Du Tranb, Dat Minh Huynhb, Nga H.N. Dob, Duong, H. M. (2020). Cellulose-based aerogels from sugarcane bagasse for oil spill-cleaning and heat insulation applications. *Carbohydrate Polymers*.
- Rafieian, F., Dufresne, A., Askari, G., Rezaei, A., Seyedhosseini-Ghaheh, H., & Jafari, S. M. (2024). Aerogels as novel ingredients: Production, properties and applications in medical, food and environmental sectors. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 687, 133410. <https://doi.org/10.1016/j.colsurfa.2024.133410>
- Rahmani AR, Rezaeivahidian H, Almasi M, Shabanlo A, Almasi H (2016) A comparative study on the removal of phenol from aqueous solutions by electro-Fenton and electro persulfate processes using iron electrodes. *Res Chem Intermed* 42(2):1441–1450.
- Rahmani, A. R., Rezaei-Vahidian, H., Almasi, H., & Donyagard, F. (2017). Modeling and optimization of ciprofloxacin degradation by hybridized potassium persulfate/zero valent-zinc/ultrasonic process. *Environmental Processes*, 4(3), 563–572.
- Ranjith KS, Senthamizhan A, Balusamy B, Uyar T. Nanograined surface shell wall controlled ZnO–ZnS core–shell nanofibers and their shell wall thickness dependent visible photocatalytic properties. *Catalysis Science & Technology*. 2017;7(5):1167-80.
- Rocha, G. J. M., Martin, C., Soares, I. B., Maior, A. N. S., Baudel, H. M., & Abreu, C. A. M. (2011). Dilute mixed-acid pretreatment of sugarcane bagasse for ethanol production. *Biomass and Bioenergy*, 35(2), 663–670. <https://doi.org/10.1016/j.biombioe.2010.10.021>

- Salter-Blanc, A. J., & Tratnyek, P. G. (2011). Effects of solution chemistry on the dechlorination of 1,2,3-trichloropropane by zero-valent zinc. *Environmental Science & Technology*, 45(9), 4073–4079. <https://doi.org/10.1021/es104081p>
- S. Raut-Jadhav, D.V. Pinjari, D.R. Saini, S.H. Sonawane, A.B. Pandit, Intensification of degradation of methomyl (carbamate group pesticide) by using the combination of ultrasonic cavitation and process intensifying additives, *Ultrason. Sonochem.* 31 (2016) 135–142.
- Shah, N. S., Imran, M., Khan, J. A., Sayed, M., Khan, Z. U. H., Iqbal, J., Murtaza, B., Zakir, A. and Polychronopoulou, K. (2019) 'Nano zerovalent zinc catalyzed peroxymonosulfate-based advanced oxidation technologies for treatment of chlorpyrifos in aqueous solution: A semi-pilot scale study', *Journal of Cleaner Production*, 241, p. 119032.
- Stergar, J., & Maver, U. (2016). Review of aerogel-based materials in biomedical applications. *Journal of Sol-Gel Science and Technology*. <https://doi.org/10.1007/s10971-016-3968-5>
- Syeda, P.-S. Yap, A review on three-dimensional cellulose-based aerogels for the removal of heavy metals from water, *Sci. Total Environ.* 807 (2022), 150606.
- Tamimi M, Qourzal S, Assabbane A, Chovelon J-M, Ferronatob C, Ait-Ichoua Y (2006) Photocatalytic degradation of pesticide methomyl: determination of the reaction pathway and identification of intermediate products. *Photochem Photobiol Sci* 5:477–482
- Taherkhani, S., & Khani, A. (2019). Preparation of nanosized zero-valent zinc (Zn<sup>0</sup>) immobilized on ZnO as redox nanocomposite for degradation of methyl orange from aqueous solution. *Journal of Environmental Health and Sustainable Development*, 4(1), 694-700.
- Theamdee, P., Chawpaina, P., & Polthana, S. (2023). The preparation of pH indicator paper from bagasse fiber with anthocyanin extract from butterfly pea flower, purple cabbage, and *Ixora coccinea* for an acid-base soil monitoring application. *RMUTI Journal Science and Technology*, 16(1).
- Toivonen, M. S., Kaskela, A., Rojas, O. J., Kauppinen, E. I., & Ikkala, O. (2015). Ambient-dried cellulose nanofibril aerogel membranes with high tensile strength and their use for aerosol collection and templates for transparent, flexible devices. *Advanced Functional Materials*, 25(43), 6618–6626.
- Urán-Duque, L., Saldarriaga-Molina, J. C., & Rubio-Clemente, A. (2021). Advanced oxidation processes based on sulfate radicals for wastewater treatment: Research trends. *Water*, 13(17), 2445. <https://doi.org/10.3390/w13172445>

- Van Scoy, A. R., Yue, M., Deng, X., & Tjeerdema, R. S. (2013). Environmental fate and toxicology of methomyl. *Reviews of Environmental Contamination and Toxicology*, 222, 93–109. [https://doi.org/10.1007/978-1-4614-4717-7\\_4](https://doi.org/10.1007/978-1-4614-4717-7_4)
- Vievard, J., Alem, A., Pantet, A., Ahfir, N. D., Arellano-Sánchez, M. G., Devouge-Boyer, C., & Mignot, M. (2023). Bio-based adsorption as ecofriendly method for wastewater decontamination: A review. *Toxics*, 11(5), 404. <https://doi.org/10.3390/toxics11050404>
- Wen G, Wang S-J, Ma J, Huang T-L, Liu Z-Q, Zhao L, Su J-F (2014). Enhanced ozonation degradation of di-nbutyl phthalate by zero-valent zinc in aqueous solution: performance and mechanism. *J Hazard Mater* 265:69–78.
- WHO. 1976. Evaluations of Some Pesticide Residues in Food. WHO Pesticide Residues Series, No.5. Geneva. p. 289–312.
- World Health Organization (WHO). (2019). The WHO recommended classification of pesticides by hazard and guidelines to classification 2019. World Health Organization. [Online] Available from: <https://www.who.int/publications/i/item/9789240005662>
- Wu, N., Yang, Y., Wang, C., Wu, Q., Pan, F., Zhang, R., Liu, J., & Zeng, Z. (2023). Ultrathin cellulose nanofiber assisted ambient-pressure-dried, ultralight, mechanically robust, multifunctional MXene aerogels. *Advanced Materials*, 35(2207969).
- Xie, X., Zhang, Y., Huang, W., & Huang, S. (2012). Degradation kinetics and mechanism of aniline by heat-assisted persulfate oxidation. *Journal of Environmental Sciences*, 24(5), 821–826.
- Xu, X. et al. (2015). An improved X-ray diffraction method for cellulose crystallinity measurement. *Carbohydrate Polymers*, 123, PNNL-SA-108288.
- Yang, W.Z., 1982. *Electrochemical Basis*. Peking University Press, Beijing, China, pp.284, pp. 173.
- Ying Li, Hui Li, Jing Zhang, Guixiang Quan, & Yeqing Lan. (2014). Efficient Degradation of Congo Red by Sodium Persulfate Activated with Zero-Valent Zinc. *Water, Air, & Soil Pollution*, 225(2121). <https://doi.org/10.1007/s11270-014-2121-8>
- Yuan, Y., Tao, H., Fan, J., & Ma, L. (2015). Degradation of p-chloroaniline by persulfate activated with ferrous sulfide ore particles. *Chemical Engineering Journal*, 268, 38–46. <https://doi.org/10.1016/j.cej.2014.12.092>
- Yu Liu, Q. Xiong, H. Song, Y. Peng, L. Liu, C. Jiang, Preparation of LDH-modified cotton fabric based carbon aerogel as a highly efficient adsorbent for tellurium recovery, *Cellulose* 26 (2019) 2573–2585.

- Zhang, C., Xu, Y., Chu, B., & Sun, X. (2024). Mechanism and toxicity assessment of carbofuran degradation by persulfate-based advanced oxidation process. *RSC Advances*, 14(45), 30582–30589. <https://doi.org/10.1039/D4RA05365F>
- Zhang, D., Li, Y., Tong, S., Jiang, X., Wang, L., Sun, X., et al., 2018. Biochar supported sulfide-modified nanoscale zero-valent iron for the reduction of nitrobenzene. *RSC Adv.* 8 (39), 22161–22168.
- Zhang L, Dong R, Zhu Z, Wang S. Au nanoparticles decorated ZnS hollow spheres for highly improved gas sensor performances. *Sensors and Actuators B: Chemical*. 2017 Jun 1;245:112-21.
- Zhang, S., Wang, Z., Hu, Y., Ji, H., Xiao, Y., Wang, J., Xu, G., & Ding, F. (2022). Ambient pressure drying to construct cellulose acetate/benzoxazine hybrid aerogels with flame retardancy, excellent thermal stability, and superior mechanical strength resistance to cryogenic temperature. *Biomacromolecules*, 23(12), 5056–5064.
- Zhangdi Li, T. Zhang, F. Qiu, X. Yue, D. Yang, P. Li, Y. Zhu, Facile fabrication of bifunctional ZIF-L/cellulose composite membrane for efficient removal of tellurium and antibacterial effects, *J. Taiwan Inst. Chem. Eng.* 95 (2019) 515–524.
- Zhang, Y., Zhao, Y., & Ma, Q. (2018). Structure–property relationship of cellulose aerogels prepared from different solvents. *Carbohydrate Polymers*, 183, 232–240. <https://doi.org/10.1016/j.carbpol.2017.12.066>