

รายการอ้างอิง

- จาดุรงค์ ผลประเสริฐ. (2565) .การวิเคราะห์หาสารเคมีกำจัดแมลงในกลุ่มคาร์บาเมตที่ตกค้างในตัวอย่างทางการเกษตรด้วยเทคนิค โครมาโทกราฟีของเหลวสมรรถนะสูง (วิทยานิพนธ์มหาบัณฑิต สาขาวิชาเคมี มหาวิทยาลัยศิลปากร).
- ชัยยศ ตั้งสฤติย์กุลชัย (2554). กระบวนการดูดซับ. มหาวิทยาลัยเทคโนโลยีสุรนารี, นครราชสีมา.
- พินิจภณ ปิตุยะ. (2557). เอกสารองค์ความรู้เรื่อง ถ่านชีวภาพ. ศูนย์ศึกษาการพัฒนาห้วยทราย อันเนื่องมาจากพระราชดำริ. นราธิวาส.
- ภูสิต ปุกมณี. (2558). การศึกษาปฏิกิริยาโฟโตแคตตาไลติกส์สำหรับการสลายตัวของสารกำจัดแมลงเมทโธมิลจากแหล่งน้ำธรรมชาติ โดยผงไททานเนียมไดออกไซด์และผงบิสมัทธวานาเดต ที่เตรียมด้วยวิธีโซลโวลเทอร์มอลอุณหภูมิต่ำ.
- อนัญญา จีระโร, สุธาทิพย์ สิ้นยัง, พวงรัตน์ ขจิตวิษยานุกุล, & กิตติพงศ์ คุณจริยกุล. (2024). จลนศาสตร์และไอโซเทอร์มการดูดซับอะทราซีนโดยไบโอชาร์ไม้ไผ่. วารสารวิชาการพระจอมเกล้า พระนครเหนือ, 34(1), ID-241.
- อนุสรรา แก้วการ. (2562) .การสังเคราะห์เหล็กขนาดนาโนเมตรด้วยสารสกัดใบยูคาลิปตัส และคลื่นอัลตราโซนิคสำหรับการบำบัดสารไกลโฟเซตในดิน โดยใช้ปฏิกิริยาเสมือนเฟนตัน (วิทยานิพนธ์มหาบัณฑิต สาขาวิชาวิศวกรรมสิ่งแวดล้อม มหาวิทยาลัยเทคโนโลยีสุรนารี).
- Akl, M. A., Youssef, A. F. M., Hassan, A. H., & Maher, H. (2016). Synthesis, characterization and evaluation of peanut shells-derived activated carbons for removal of methomyl from aqueous solutions. *J Environ Anal Toxicol*, 6(352), 2161-0525.)
- Alsherbeny, S., Jamil, T. S., El-Sawi, S. A., & Eissa, F. I. (2022). Low-cost corn cob biochar for pesticides removal from water. *Egyptian Journal of Chemistry*, 65(2), 639-650.
- Atkins, P., & de Paula, J. (2010). *Materials 2: solids. Physical Chemistry*; 9th Ed. WH Freeman and Company: New York, NY, 695-742.
- Aup-Ngoen, K., & Noipitak, M. (2020). Effect of carbon-rich biochar on mechanical properties of PLA-biochar composites. *Sustainable Chemistry and Pharmacy*, 15, 1002
- Chang, C. F., Chang, C. Y., Hsu, K. E., Lee, S. C., & Höll, W. (2008). Adsorptive removal of the pesticide methomyl using hypercrosslinked polymers. *Journal of hazardous materials*, 155(1-2), 295-304.

- Chen, T., Luo, L., Deng, S., Shi, G., Zhang, S., Zhang, Y., & Wei, L. (2018). Sorption of tetracycline on H₃PO₄ modified biochar derived from rice straw and swine manure. *Bioresource technology*, 267, 431-437.
- Chen, T., Luo, L., Deng, S., Shi, G., Zhang, S., Zhang, Y., & Wei, L. (2018). Sorption of tetracycline on H₃PO₄ modified biochar derived from rice straw and swine manure. *Bioresource technology*, 267, 431-437.
- Chen, X., Xia, X., Wang, X., Qiao, J., & Chen, H. (2011). A comparative study on sorption of perfluorooctane sulfonate (PFOS) by chars, ash and carbon nanotubes. *Chemosphere*, 83(10), 1313-1319.
- Cheng, F., & Li, X. (2018). Preparation and application of biochar-based catalysts for biofuel production. *Catalysts*, 8(9), 346.
- Cid, A. P., del Mundo, F. R., & Espino, M. P. B. (2006). A modified analytical procedure for the determination of carbaryl, carbofuran and methomyl residues in agricultural soil and river water samples from La Trinidad, Benguet and Aurora, Isabela, Philippines. *Philippine Agricultural Scientist*, 89(1), 71.
- Cosgrove, S., Jefferson, B., & Jarvis, P. (2019). Pesticide removal from drinking water sources by adsorption: a review. *Environmental Technology Reviews*, 8(1), 1-24.
- de Carvalho Eufrásio Pinto, M., David da Silva, D., Amorim Gomes, A. L., Menezes dos Santos, R. M., Alves de Couto, R. A., Ferreira de Novais, R., . . . Pinto, F. G. (2019). Biochar from carrot residues chemically modified with magnesium for removing phosphorus from aqueous solution. *Journal of Cleaner Production*, 222, 36-46. doi: <https://doi.org/10.1016/j.jclepro.2019.03.012>
- Dong, X., Chu, Y., Tong, Z., Sun, M., Meng, D., Yi, X., ... & Duan, J. (2024). Mechanisms of adsorption and functionalization of biochar for pesticides: A review. *Ecotoxicology and Environmental Safety*, 272, 116019.
- Ecobichon, D. J. (2001). Pesticide use in developing countries. *Toxicology*, 160(1-3), 27-33.
- Edeh, I. G., & Mašek, O. (2022). The role of biochar particle size and hydrophobicity in improving soil hydraulic properties. *European Journal of Soil Science*, 73(1), e13138.
- Farré, M., Fernandez, J., Paez, M., Granada, L., Barba, L., Gutierrez, H., ... & Barceló, D. (2002). Analysis and toxicity of methomyl and ametryn after biodegradation. *Analytical and bioanalytical chemistry*, 373, 704-709.
- Fathy, N. A., Attia, A. A., & Hegazi, B. (2016). Nanostructured activated carbon xerogels for removal of methomyl pesticide. *Desalination and water treatment*, 57(21), 9957-9970.

- Freundlich, H. M. F. (1906). Over the adsorption in solution. *Journal of Physical Chemistry*, 57, 385-471.
- Guo, Y., & Wang, Q. (2023). Exploring the adsorption potential of Na₂SiO₃-activated porous carbon materials from waste bamboo biomass for ciprofloxacin rapid removal in wastewater. *Environmental Technology & Innovation*, 32, 103318.
- Gámiz, B., Velarde, P., Spokas, K. A., Hermosín, M. C., & Cox, L. (2017). Biochar soil additions affect herbicide fate: importance of application timing and feedstock species. *Journal of agricultural and food chemistry*, 65(15), 3109-3117.
- Geça, M., Khalil, A. M., Tang, M., Bhakta, A. K., Snoussi, Y., Nowicki, P., & Chehimi, M. M. (2023). Surface treatment of biochar—methods, surface analysis and potential applications: a comprehensive review. *Surfaces*, 6(2), 179-213.
- Hill, A. V. (1910). The possible effects of the aggregation of the molecules of hemoglobin on its dissociation curves. *J. physiol.*, 40, iv-vii.
- Ho, Y. S., & McKay, G. (1999). Pseudo-second order model for sorption processes. *Process Biochemistry*, 34(5), 451-465. doi:10.1016/S0032-9592(98)00112-5.
- Inyang, M., & Dickenson, E. (2015). The potential role of biochar in the removal of organic and microbial contaminants from potable and reuse water: A review. *Chemosphere*, 134, 232-240.
- Janu, R., Mrlik, V., Ribitsch, D., Hofman, J., Sedláček, P., Bielská, L., & Soja, G. (2021). Biochar surface functional groups as affected by biomass feedstock, biochar composition and pyrolysis temperature. *Carbon Resources Conversion*, 4, 36-46.
- Khater, E. S., Bahnasawy, A., Hamouda, R., Sabahy, A., Abbas, W., & Morsy, O. M. (2024). Biochar production under different pyrolysis temperatures with different types of agricultural wastes. *Scientific Reports*, 14(1), 2625.
- Khorram, M. S., Zhang, Q., Lin, D., Zheng, Y., Fang, H., & Yu, Y. (2016). Biochar: a review of its impact on pesticide behavior in soil environments and its potential applications. *Journal of environmental sciences*, 44, 269-279.
- Kroeksakul, P., Ngamniyom, A., Silprasit, K., Sutthisaksopon, P., Sriyapai, T., Phowan, N., & Singhaboot, P. (2023). Evaluation of Pesticide and Heavy Metal Contamination on Soil Properties and Microbiota in Thailand's Mountainous Region. *Journal of Ecological Engineering*, 24(7).
- Lagergren, S. (1898). About the theory of so-called adsorption of soluble substances. *Kungliga Svenska Vetenskapsakademiens Handlingar*, 24(4), 1-39.
- Langmuir, I. (1918). The adsorption of gases on plane surfaces of glass, mica, and platinum. *Journal of the American Chemical Society*, 40(9), 1361-1403.

- Lehmann, J., & Joseph, S. (Eds.). (2009). *Biochar for environmental management: Science and technology*. Earthscan.
- Mandal, A., Singh, N., & Purakayastha, T. J. (2017). Characterization of pesticide sorption behaviour of slow pyrolysis biochars as low cost adsorbent for atrazine and imidacloprid removal. *Science of the Total Environment*, 577, 376-385.
- Mayakaduwa, S. S., Vithanage, M., Karunarathna, A., Mohan, D., & Ok, Y. S. (2016). Interface interactions between insecticide carbofuran and tea waste biochars produced at different pyrolysis temperatures. *Chemical Speciation & Bioavailability*, 28(1-4), 110-118.
- Mimmo, T., Panzacchi, P., Baratieri, M., Davies, C. A., & Tonon, G. (2014). Effect of pyrolysis temperature on miscanthus (*Miscanthus x giganteus*) biochar physical, chemical and functional properties. *Biomass and Bioenergy*, 62, 149-157.
- Mohamed Noor, N., Shariff, A., & Abdullah, N. (2012). Slow pyrolysis of cassava wastes for biochar production and characterization. *Iranica Journal of Energy & Environment*, 3(5).
- Mortensen, S. R., & Serex, T. L. (2014). Methomyl. *Encyclopedia of toxicology*, 242-245.
- Mukherjee, A., Zimmerman, A., Harris, W., 2011. Surface chemistry variations among series of laboratory-produced biochars. *Geoderma* 163 (3-4), 247-255.
- Mukherjee, A., Patra, B. R., Podder, J., & Dalai, A. K. (2022). Synthesis of biochar from lignocellulosic biomass for diverse industrial applications and energy harvesting: effects of pyrolysis conditions on the physicochemical properties of biochar. *Frontiers in Materials*, 9, 870184.
- Peng, H., Gao, P., Chu, G., Pan, B., Peng, J., & Xing, B. (2017). Enhanced adsorption of Cu (II) and Cd (II) by phosphoric acid-modified biochars. *Environmental Pollution*, 229, 846-853.
- Priyadarshini, B., Rath, P. P., Behera, S. S., Panda, S. R., Sahoo, T. R., & Parhi, P. K. (2018, February). Kinetics, Thermodynamics and Isotherm studies on Adsorption of Eriochrome Black-T from aqueous solution using Rutile TiO₂. In *IOP Conference Series: Materials Science and Engineering* (Vol. 310, p. 012051). IOP Publishing.
- Salehi, E., Askari, M., Velashjerdi, M., & Arab, B. (2020). Phosphoric acid-treated spent tea residue biochar for wastewater decoloring: batch adsorption study and process intensification using multivariate data-based optimization. *Chemical Engineering and Processing-Process Intensification*, 158, 108170.

- Sari, L., Shofiyani, A., & Sapar, A. (2024). Synthesis and Characterization of Silica-Biochar Composite as Rhodamine B Dye Adsorbent. *Jurnal Kimia Sains dan Aplikasi*, 27(6), 284-292.
- Shariff, A., Noor, N. M., Lau, A., & Ali, M. A. M. (2016). A comparative study on biochar from slow pyrolysis of corn cob and cassava wastes. *International Journal of Biotechnology and Bioengineering*, 10(12), 767-771.
- Srikhaow, A., Chaengsawang, W., Kiatsiroat, T., Kajitvichyanukul, P., & Smith, S. M. (2022). Adsorption kinetics of imidacloprid, acetamiprid and methomyl pesticides in aqueous solution onto eucalyptus woodchip derived biochar. *Minerals*, 12(5), 528.
- Sun, J., He, F., Pan, Y., & Zhang, Z. (2017). Effects of pyrolysis temperature and residence time on physicochemical properties of different biochar types. *Acta Agriculturae Scandinavica, Section B—Soil & Plant Science*, 67(1), 12-22.
- Suo, F., You, X., Ma, Y., & Li, Y. (2019). Rapid removal of triazine pesticides by P doped biochar and the adsorption mechanism. *Chemosphere*, 235, 918-925.
- Taha, S. M., Amer, M. E., Elmarsafy, A. E., & Elkady, M. Y. (2014). Adsorption of 15 different pesticides on untreated and phosphoric acid treated biochar and charcoal from water. *Journal of Environmental Chemical Engineering*, 2(4), 2013-2025.
- Temkin, M. I., & Pyzhev, V. (1940). Kinetics of ammonia synthesis on promoted iron catalysts. *Acta Physicochimica URSS*, 12, 327-356.
- Tippayawong, N., Rerkkriangkrai, P., Aggarangsi, P., & Pattiya, A. (2017). Biochar production from cassava rhizome in a semi-continuous carbonization system. *Energy Procedia*, 141, 109-113.
- Tomczyk, A., Sokołowska, Z., & Boguta, P. (2020). Biochar physicochemical properties: pyrolysis temperature and feedstock kind effects. *Reviews in Environmental Science and Bio/Technology*, 19(1), 191-215.
- Tong, Y., McNamara, P. J., & Mayer, B. K. (2019). Adsorption of organic micropollutants onto biochar: a review of relevant kinetics, mechanisms and equilibrium. *Environmental Science: Water Research & Technology*, 5(5), 821-838.
- Varjani, S., Kumar, G., & Rene, E. R. (2019). Developments in biochar application for pesticide remediation: current knowledge and future research directions. *Journal of environmental management*, 232, 505-513.
- Wijtkosum, S., & Jiwnok, P. (2019). Elemental composition of biochar obtained from agricultural waste for soil amendment and carbon sequestration. *Applied sciences*, 9(19), 3980.

- Wijitkosum, S. (2022). Biochar derived from agricultural wastes and wood residues for sustainable agricultural and environmental applications. *International Soil and Water Conservation Research*, 10(2), 335-341.
- Yang, G. P., Zhao, Y. H., Lu, X. L., & Gao, X. C. (2005). Adsorption of methomyl on marine sediments. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 264(1-3), 179-186.
- Yokoyama, J. T., Cazetta, A. L., Bedin, K. C., Spessato, L., Fonseca, J. M., Carraro, P. S., & Almeida, V. C. (2019). Stevia residue as new precursor of CO₂-activated carbon: Optimization of preparation condition and adsorption study of triclosan. *Ecotoxicology and environmental safety*, 172, 403-410.
- Zhang, C., Liu, L., Zhao, M., Rong, H., & Xu, Y. (2018). The environmental characteristics and applications of biochar. *Environmental Science and Pollution Research*, 25, 21525-21534.
- Zhang, P., Sun, H., Yu, L., Sun, T., 2012. Adsorption and catalytic hydrolysis of carbaryl and atrazine on pig manure-derived biochars: impact of structural properties of biochars. *J. Hazard. Mater.* 244 (245), 217–224.
- Zhao, X., Ouyang, W., Hao, F., Lin, C., Wang, F., Han, S., & Geng, X. (2013). Properties comparison of biochars from corn straw with different pretreatment and sorption behaviour of atrazine. *Bioresource technology*, 147, 338-344