

ACKNOWLEDGEMENTS

I want to sincerely thank Associate Professor Dr. Santi Watthana, my adviser, for all of the support, insightful counsel, and direction I received during this study.

I would like to thank Associate Professor Dr. Nooduan Muangsan and the parents for facilitating the study area at Chum Phuang District, Nakhon Ratchasima Province, Thailand

I want to express my gratitude to Assistant Professor Dr. Natapot Warrit and Dr. Prapun Triyasut, bee taxonomists from Chulalongkorn University and Ubon Ratchathani Rajabhat University, for identifying bees.

I want to convey my appreciation to Professor Dr. Wittaya Pakum, the Faculty of Science, Srinakharinwirot University, Thailand, and Dr. Kanyakorn Piraonapicha Entomologist at Queen Sirikit Botanic Garden, The Botanical Garden Organization, Chiang Mai, Thailand, for their help in statistical analysis.

I would like to thank Mr. Thotsaporn Chanokkhun, Miss Siriduangkamol Kapang, Miss Chuthapond Musimun, and Mr. Thada Amsungnoen for their support with the work, and the helpful support and help of all the graduate students and faculty at the School of Biology.

This research work was supported by Kitti Banthit Scholarship.

Lastly, I would want to express my sincere gratitude to my parents for their unwavering support during my educational years.

Rungtip Malaiphis