

REFERENCES

- Adewumi, O., Aflatoonian, B., Ahrlund-Richter, L., Amit, M., Andrews, P.W., Beighton, G., Bello, P.A., Benvenisty, N., Berry, L.S., Bevan, S., Blum, B., Brooking, J., Chen, K.G., Choo, A.B.H., Churchill, G.A., Corbel, M., Damjanov, I., Draper, J.S., Dvorak, P., Emanuelsson, K., Fleck, R.A., Ford, A., Gertow, K., Gertsenstein, M., Gokhale, P.J., Hamilton, R.S., Hampl, A., Healy, L.E., Hovatta, O., Hyllner, J., Imreh, M.P., Itskovitz-Eldor, J., Jackson, J., Johnson, J.L., Jones, M., Kee, K., King, B.L., Knowles, B.B., Lako, M., Lebrin, F., Mallon, B.S., Manning, D., Mayshar, Y., McKay, R.D.G., Michalska, A.E., Mikkola, M., Mileikovsky, M., Minger, S.L., Moore, H.D., Mummery, C.L., Nagy, A., Nakatsuji, N., O'Brien, C.M., Oh, S.K.W., Olsson, C., Otonkoski, T., Park, K., Passier, R., Patel, H., Patel, M., Pedersen, R., Pera, M.F., Piekarczyk, M.S., Reijo Pera, R.A., Reubinoff, B.E., Robins, A.J., Rossant, J., Rugg-Gunn, P., Schulz, T.C., Semb, H., Sherrer, E.S., Siemen, H., Stacey, G.N., Stojkovic, M., Suemori, H., Szatkiewicz, J., Turetsky, T., Tuuri, T., van den Brink, S., Vintersten, K., Vuoristo, S., Ward, D., Weaver, T.A., Young, L.A., and Zhang, W. (2007). Characterization of human embryonic stem cell lines by the International Stem Cell Initiative. **Nature Biotechnology**, *25*(7), 803–816.
- Afanassieff, M., Tapponnier, Y., and Savatier, P. (2014). Generation of Induced Pluripotent Stem Cells in Rabbits. Induced Pluripotent Stem (iPS) Cells. **Methods and Protocols**, *1357*, 149-172.
- Aksoy, I., Rognard, C., Moulin, A., Marcy, G., Masfaraud, E., Wianny, F., Cortay, V., Bellemin-Ménard, A., Doerflinger, N., Dirheimer, M., Mayère, C., Bourillot, P.Y., Lynch, C., Raineteau, O., Joly, T., Dehay, C., Serrano, M., Afanassieff, M., and Savatier, P. (2021). Apoptosis, G1 phase stall, and premature differentiation account for low chimeric competence of human and rhesus monkey naïve pluripotent stem cells. **Stem cell reports**, *16*(1), 56-74.
- Ami, D., Neri, T., Natalello, A., Mereghetti, P., Doglia, S.M., Zanoni, M., Zuccotti, M., Garagna, S., and Redi, C.A. (2008). Embryonic stem cell differentiation studied by FT-IR spectroscopy. **Biochim Biophys Acta**, *1783*(1), 98-106.
- Amzal, A., Pijoff, Y., Rognard, C., Marcy, G., Doerflinger, N., Bréhier, C., Anwised, P., Srisutush, J., Chimngam, M., Chatdarong, K., Cazotte, E., Moyret, C., Kuorome, M., Cortay, V., Dehay, C., Afanassieff, M., Joly, T., Rougeulle, C., Gillet, G., Wolf, E., Parnpai, R., and Savatier, P., and Aksoy, I. (2025). MEK and AKT signaling

Determine the Potential of Pluripotent stem Cells to Colonize Heterologous Preimplantation Embryos. **Nature cell biology**

- Anwised, P., Moorawong, R., Samruan, W., Somredngan, S., Srisutush, J., Laowtammathron, C., Aksoy, I., Parnpai, R., and Savatier, P. (2023). An expedition in the jungle of pluripotent stem cells of non-human primates. **Stem Cell Reports**, *18*(11), 2016-2037.
- Baker, M.J., Trevisan, J., Bassan, P., Bhargava, R., Butler, H.J., Dorling, K.M., Fielden, P.R., Fogarty, S.W., Fullwood, N.J., Heys, K.A., Hughes, C., Lasch, P., Martin-Hirsch, P.L., Obinaju, B., Sockalingum, G.D., Sulé-Suso, J., Strong, R.J., Walsh, M.J., Wood, B.R., Gardner, P., and Martin, F.L. (2014). Using Fourier transform infrared (FTIR) spectroscopy to analyse biological materials. **Nature Protocols**, *9*(8), 1771–1791.
- Bassan, P., Kohler, A., Martens, H., Lee, J., Byrne, H.J., Dumas, P., Gazi, E., Brown, M., Clarke, N., and Gardner, P. (2010) Resonant Mie scattering (RMieS) correction of infrared spectra from highly scattering biological samples. **Analyst**, *135*(2), 268-277.
- Bassan, P., Byrne, H.J., Bonnier, F., Lee, J., Dumas, P., and Gardner, P. (2009). Resonant Mie scattering in infrared spectroscopy of biological materials—understanding the ‘dispersion artefact’. **Analyst**, *134*(8), 1586-1593.
- Boroviak, T., and Nichols, J. (2017). The pluripotency continuum: Naive, primed and beyond. **Development**, *144*(8), 1361–1371.
- Bradley, M., Jarrell, G.A., and Kim, E.H. (1984). On the existence of an optimal capital structure: Theory and evidence. **The Journal of Finance**, *39*(3), 857-878.
- Buchwalow, I. B., Böcker, W., and Samoilova, V. (2011). Immunohistochemistry: History and principles. In **Immunohistochemistry** (pp. 1-10). Springer.
- Bustin S.A. (2000). Absolute quantification of mRNA using real-time reverse transcription polymerase chain reaction assays. **J Mol Endocrinol**. *25*(2), 169-93.
- Cao, J., Ng, E. S., McNaughton, D., Stanley, E. G., Elefanty, A. G., Tobin, M. J., and Heraud, P. (2014a). Fourier transform infrared microspectroscopy reveals unique phenotypes for human embryonic and induced pluripotent stem cell lines and their progeny. **Journal of Biophotonics**, *7*(10), 767-781.
- Cao, J., Ng, E. S., McNaughton, D., Stanley, E. G., Elefanty, A. G., Tobin, M. J., and Heraud, P. (2013b). Fourier transform infrared microspectroscopy reveals that tissue culture conditions affect the macromolecular phenotype of human embryonic stem cells. **Analyst**, *138*(14), 4147-4160.

- Cao, J., Ng, E. S., McNaughton, D., Stanley, E. G., Elefanty, A. G., Tobin, M. J., and Heraud, P. (2013c). The characterisation of pluripotent and multipotent stem cells using Fourier transform infrared microspectroscopy. *Int J Mol Sci*, *14*(9), 17453-76.
- Chan, K. L. A., and Kazarian, S. G. (2013). Attenuated total reflection (ATR) - FTIR spectroscopy and imaging of biological samples. *Analyst*, *138*(14), 3698-3707.
- Chonanant, C., Jearanaikoon, N., Leelayuwat, C., Limpai boon, T., Tobin, M. J., Jearanaikoon, P., and Heraud, P. (2011). Characterisation of chondrogenic differentiation of human mesenchymal stem cells using synchrotron FTIR microspectroscopy. *Analyst*, *136*(12), 2542-2551.
- Coons, A. H. (1956). Histochemistry with labelled antibody. *International Review of Cytology*, *5*, 1-23.
- Cornacchia, D., Zhang, C., Zimmer, B., Chung, S.Y., Fan, Y., Soliman, M.A., Tchieu, J., Chambers, S.M., Shah, H., Paull, D., Konrad, C., Vincendeau, M., Noggle, S.A., Manfredi, G., Finley, L.W.S., Cross, J.R., Betel, D., and Studer, L. (2019). Lipid Deprivation Induces a Stable, Naïve-to-Primed Intermediate State of Pluripotency in Human PSCs. *Cell stem cell*, *25*(1), 120-136.
- Cregger, M., Berger, A. J., and Rimm, D.L. (2006). Immunohistochemistry and Quantitative Analysis of Protein Expression. *Arch Pathol Lab*, *130*, 1026-1030.
- Crowe, J. H., Hoekstra, F. A., Crowe, L. M., Anchoroguy, T. J., and Drobnis, E. (1996). Lipid phase transitions measured in intact cells with Fourier transform infrared spectroscopy. *Cryobiology*, *33*(4), 463-477.
- Depciuch, J., Parcheta, R., Depciuch, G., and Kasprzyk, A. (2018). An introduction to FTIR spectroscopy in biomedical applications. *Journal of Applied Spectroscopy*, *85*(2), 169-181.
- Dunkhunthod, B.; Thumanu, K., and Eumkeb, G. (2017). Application of FTIR microspectroscopy for monitoring and discrimination of the anti-adipogenesis activity of baicalein in 3T3-L1 adipocytes. *Vibrational Spectroscopy*, *89*, 92-101.
- Evans, M. J., and Kaufman, M. H. (1981). Establishment in culture of pluripotential cells from mouse embryos. *Nature*, *292*(5819), 154-156.
- Griffiths, P. R. (1983). Fourier Transform Infrared Spectrometry. *Science*, *222*(4621), 297-302.
- Guo, G., von Grotthuss, M., and Yang, B. (2017). The molecular basis of naïve and primed pluripotency. *Current Opinion in Cell Biology*, *45*, 63-70.
- Haines, D. M., and Woytowych, J. C. (2007). A brief review of immunohistochemistry and the use of immunocytochemistry in the detection of viral antigens in

- veterinary medicine. *The Canadian Journal of Veterinary Research*, 71(1), 1-10.
- Heraud, P., Ng, E.S., Caine, S., Yu, Q.C., Hirst, C., Mayberry, R., Bruce, A., Wood, B.R., McNaughton, D., Stanley, E.G., and Elefanty, A.G. (2010). Fourier transform infrared microspectroscopy identifies early lineage commitment in differentiating human embryonic stem cells. *Stem Cell Research*, 4(2), 140-147.
- Heraud, P., Caine, S., Sanson, G., Gleadow, R., Wood, B.R., and McNaughton, D. (2007). Focal plane array infrared imaging: a new way to analyse leaf tissue. *New Phytologist*, 173(1), 216-225.
- Higuchi, R., Fockler, C., Dollinger, G., and Watson, R. (1993). Kinetic PCR analysis: Real-time monitoring of DNA amplification reactions. *Biotechnology (N Y)*, 11(9), 1026-1030.
- Jaenisch, R., and Young, R. (2008). Stem cells, the pluripotent state, and induced pluripotency. *Cell*, 132(4), 567-582.
- Kazarian, S. G., and Chan, K. L. A. (2017). Applications of FTIR microspectroscopy in polymer science. *Applied Spectroscopy Reviews*, 52(1), 1-32.
- Krimm, S., and Bandekar, J. (1986). Vibrational analysis of peptides, polypeptides, and proteins. *Advances in Protein Chemistry*, 38, 181-364.
- Kumari, D. (2016). States of pluripotency: Naïve and primed pluripotent stem cells. *Pluripotent Stem Cells-from the bench to the clinic*, 31-45.
- Lassiter, R. M., Ma, Z., Nallapeta, S., and Bhargava, R. (2019). Rapid and high-throughput infrared spectroscopic imaging for breast cancer diagnosis. *Journal of Biophotonics*, 12(6), e201800366.
- Li, J., Zhu, Q., Cao, J., Liu, Y., Lu, Y., Sun, Y., Li, Q., Huang, Y., Shang, S., Bian, X., Li, C., Zhang, L., Wang, Y., Nie, Y., Fu, J., Li, W., Mazid, M.A., Jiang, Y., Jia, W., Wang, X., Sun, Y., Esteban, M.A., Sun, Q., Zhou, F., and Liu, Z. (2023). Cynomolgus monkey embryo model captures gastrulation and early pregnancy. *Cell Stem Cell*, 30(4), 362-377.
- Marks, H., Kalkan, T., and Stunnenberg, H. G. (2012). The transcriptional programs of naïve and primed pluripotency. *Nature Reviews Genetics*, 13(10), 717-729.
- Martin, G. R., and Evans, M. J. (1974). The morphology and growth of a pluripotent teratocarcinoma cell line and its derivatives in tissue culture. *Cell*, 2(3), 163-172.
- Mendelsohn, R., and Moore, D. J. (2012). FTIR spectroscopy in microbiology: a review. *Biochemical Spectroscopy*, 1(1), 1-13.

- Miller, L. M., Sowa, M. J., and Riemer, R. (2014). Infrared spectroscopy of brain tumors. **Journal of Biophotonics**, 7(11-12), 978-984.
- Mortazavi, A., Williams, B. A., McCue, K., Schaeffer, L., and Wold, B. (2008). Mapping and quantifying mammalian transcriptomes by RNA-Seq. **Nature Methods**, 5(7), 621–628.
- Movasaghi, Z., Rehman, S., and Rehman, D. I. (2008). Fourier transform infrared (FTIR) spectroscopy of biological tissues. **Applied Spectroscopy Reviews**, 43, 134-179.
- Nichols, J., and Smith, A. (2009). Naïve and primed pluripotent states. **Cell stem cell**, 4, 487-492.
- Pham, H.T., Perold, F., Pijoff, Y., Doerflinger, N., Rival-Gervier, S., Givelet, M., Moulin, A., Ressaire, M., Da Silva Fernandes, E., Bidault, V., Jouneau, L., Duranthon, V., Wianny, F., Pain, B., Plotton, I., Joly, T., Afanassieff, M., Savatier, P., and Beaujean, N. (2025). Efficient generation of germline chimeras in a non-rodent species using rabbit induced pluripotent stem cells. **Nature Communications**, 16(1), 5165.
- Ramos-Vara, J. A., and Miller, M. A. (2014). When is a negative immunohistochemical result a true negative? **Veterinary Pathology**, 51(2), 329-335.
- Reis, C., Sousa, R., Reis, R. L., and Gomes, M. E. (2020). FTIR spectroscopy and imaging as a tool to assess the chemical composition of biological tissues. **Current Opinion in Biotechnology**, 63, 211-220.
- Stark, R., Grzelak, M., and Hadfield, L. J. (2019). RNA sequencing: The teenage years. **Nature Reviews Genetics**, 20(6), 337-352.
- Stuart, B. H. (2004). *Infrared Spectroscopy: Fundamentals and Applications*. John Wiley & Sons.
- Suemori, H., Yasuchika, K., and Nakatsuji, N. (2006). Maintenance of pluripotency in primate ES cells. **Cloning and Stem Cells**, 8(2), 107-112.
- Suemori, H., Tada, T., Torii, R., Hosoi, Y., Kobayashi, K., Imahie, H., and Nakatsuji, N. (2001). Establishment of embryonic stem cell lines from cynomolgus monkey blastocysts produced by IVF or ICSI. **Dev Dyn**, 222(2), 273-279.
- Szymanski, T., Piekarski, J., and Depciuch, J. (2018). FTIR spectroscopy for the diagnosis of colon cancer. **Journal of Molecular Structure**, 1157, 181-187.
- Takahashi, S., Kobayashi, S., and Hiratani, I. (2018). Epigenetic differences between naïve and primed pluripotent stem cells. **Cellular and Molecular Life Sciences**, 75(7), 1191-1203.

- Takahashi, K., Tanabe, K., Ohnuki, M., Narita, M., Ichisaka, T., Tomoda, K., and Yamanaka, S. (2007). Induction of pluripotent stem cells from adult human fibroblasts by defined factors. **Cell**, *131*(5), 861-872.
- Theunissen, T. W., Powell, B. E., and Jaenisch, R. (2014). Molecular criteria for pluripotent stem cells: a new tool for regenerative medicine. **Stem Cell**, *32*(4), 1017-1026.
- Theunissen, T. W., and Jaenisch, R. (2014). Molecular criteria for pluripotent stem cells. **Nature Biotechnology**, *32*(2), 165-174.
- Thomson, J. A., and Marshall, J. E. (1998a). Pluripotent stem cell lines from human and non-human primate embryos. **Stem Cells**, *16*(2), 79-87.
- Thomson, J. A., Itskovitz-Eldor, J., Shapiro, S. S., Waknitz, M. A., Swiergiel, J. J., Marshall, V. S., and Jones, J. M. (1998b). Embryonic stem cell lines derived from human blastocysts. **Science**, *282*(5391), 1145-1147.
- Thomson, J. A., and Marshall, V. S. (1998c). Primate embryonic stem cells. **Current Topics in Developmental Biology**, *38*, 133-165.
- Thomson, J. A., Kalishman, J., Golos, T. G., Durning, M., Harris, C. P., and Hearn, J. P. (1996). Pluripotent cell lines derived from common marmoset (*Callithrix jacchus*) blastocysts. **Biol Reprod**, *55*(2), 254-259.
- Thomson, J. A., Kalishman, J., Golos, T. G., Durning, M., Harris, C. P., Becker, R. A., and Hearn, J. P. (1995). Isolation of a primate embryonic stem cell line. **Proceedings of the National Academy of Sciences**, *92*(17), 7844-7848.
- Thumanu, K., Tanthanuch, W., Ye, D., Sangmalee, A., Lorthongpanich, C., Parnpai, R., ... and Heraud, P. (2011). Spectroscopic signature of mouse embryonic stem cell-derived hepatocytes using synchrotron Fourier transform infrared microspectroscopy. **Journal of Biomedical Optics**, *16*(5), 057005-057005.
- Toplak, M., Read, S. T., Sandt, C., and Borondics, F. (2021). Quasar: easy machine learning for Biospectroscopy. **Cells**, *10*(9), 2300.
- Wang, Z., Gerstein, M., and Snyder, M. (2009). RNA-Seq: a revolutionary tool for transcriptomics. **Nature Reviews Genetics**, *10*(1), 57-63.
- Weinberger, L., Ayyash, M., Novershtern, N., and Hanna, J. H. (2016). Dynamic stem cell states: naïve to primed pluripotency in rodents and humans. **Nature reviews Molecular cell biology**, *17*(3), 155-169.
- Whelan, D. R., Bambery, K. R., Heraud, P., Tobin, M. J., Diem, M., McNaughton, D., and Wood, B. R. (2011). Monitoring the reversible B to A-like transition of DNA in eukaryotic cells using Fourier transform infrared spectroscopy. **Nucleic acids research**, *39*(13), 5439-5448.

- Wianny, F., Bernat, A., Huissoud, C., Marcy, G., Markossian, S., Cortay, V., Giroud, P., Leviel, V., Kennedy, H., Savatier, P., and Dehay, C. (2008). Derivation and cloning of a novel rhesus embryonic stem cell line stably expressing tau-green fluorescent protein. **Stem Cells**, 26(6), 1444-1453.
- Wold, S., Esbensen, K., and Geladi, P. (1987). Principal component analysis. **Chemometrics and Intelligent Laboratory Systems**, 2(1-3), 37-52.
- Wong, K., Lee, M. A., and Chen, J. (2021). Fourier-transform infrared microspectroscopy: A powerful tool for the study of cellular and subcellular components. **Biotechnology Journal**, 16(5), e2000287.
- Yamanaka, S., and Thomson, J. (2010). Pluripotent stem cells: a new tool for regenerative medicine. **Cell Stem Cell**, 6(6), 555–556.
- Yousefi, M., Marashi, S.A., Sharifi, Z.A., and Taleahmad, S. (2019). The metabolic network model of primed/naïve human embryonic stem cells underlines the importance of oxidation-reduction potential and tryptophan metabolism in primed pluripotency. **Cell Biosci**, 9, 71.