กิตติ ศรีสะอาด : ระบบการปลูกพืชแบบตามและแบบแซมที่มีทานตะวันเป็นพืชหลัก (SEQUENTIAL CROPPING AND INTERCROPPING IN SUNFLOWER-BASED CROPPING SYSTEM)

อาจารย์ที่ปรึกษา: ศ. ดร. ใพศาล เหล่าสุวรรณ, 67 หน้า ISBN 974-533-201-1

ทำการทดลองสามการทดลองในปี 2542 - 2545 เพื่อศึกษาผลของระบบการปลกพืชแบบ ตามและแบบแซมที่มีทานตะวันเป็นพืชหลัก **การทดลองที่หนึ่ง** ศึกษาผลของการปลูกทานตะวัน แซมด้วยข้าวโพดและถั่วเขียว ใช้ปุ๋ยในโตรเจนอัตราต่าง ๆ และสัดส่วนการปลูกต่าง ๆ ปรากฏว่า การใส่ปุ๋ยในโตรเจนมีผลต่ออัตราส่วนพื้นที่สมมูล (Land Equivalent Ratio : LER) โดย แปลงที่ไม่ใส่ปุ๋ยในโตรเจนให้ค่า LER เฉลี่ย 1.19 ซึ่งสูงกว่าแปลงที่ใส่ปุ๋ยในโตรเจน 6 และ 12 กก./ไร่ การปลูกทานตะวันแซมด้วยถั่วเขียว ให้ค่า LER สูงกว่าแซมด้วยข้าวโพด คือให้ LER 1.11 และ 1.01 ตามลำดับ โดยเฉพาะอย่างยิ่งอัตราส่วนทานตะวัน : ถั่วเขียว 50 : 50 เปอร์เซ็นต์ ที่ไม่ใส่ ปุ๋ยในโตรเจนให้ค่า LER สูงสุด คือ 1.41 **การทดลองที่สอง** ได้ทำการทดลองปลูกพืชแบบตาม เพื่อศึกษาผลผลิตและลักษณะอื่นๆ ของทานตะวัน เมื่อปลูกตามทานตะวัน ข้าวโพด และถั่วเหลือง โดยใช้ป๋ยตกค้างจากพืชแรกที่มีการใส่ป๋ยในอัตราต่าง ๆ ทดสอบสองพื้นที่ ในการทดลองที่ 1 พบ ว่า ทานตะวันที่ปลูกตามหลังถั่วเหลืองให้ผลผลิตสูงกว่าแปลงที่ปลูกตามข้าวโพค ทานตะวัน ตาม ลำคับ ในขณะการทคลองที่ 2 ให้ผลผลิตไม่แตกต่างกัน เมื่อพิจารณาผลของการใส่ปุ๋ยในแต่ละพืช นำทุกการทดลอง แสดงให้เห็นว่า ทานตะวันจากแปลงพืชนำที่ใส่ปุ๋ยให้ผลผลิตสูงกว่าแปลงพืชนำที่ ้ไม่ใส่ปุ๋ย จึงสรุปได้ว่า การใส่ปุ๋ยแก่พืชนำมีความจำเป็นต่อทานตะวันที่ปลูกเป็นพืชตาม **การทดลอง** ที่สาม ศึกษาผลทางอัลลิโลพาธิต่อการเจริญเติบโตและผลผลิตของทานตะวัน ทดลองในกระถาง เพื่อเป็นแนวทางการจัดระบบการปลูกพืชแบบตาม โดยได้ศึกษาผลทางอัลลิโลพาธีของทานตะวัน ข้าวโพคและถั่วเหลืองกับวิธีการให้ชนิคซากพืชและส่วนซากพืช พบว่า จากค่าสังเกตการเจริญเติบ โตของทานตะวัน โดยความสูง น้ำหนักรากแห้ง น้ำหนักต้นแห้ง ชีวมวลรวม และผลผลิต ปรากฏว่าการเจริญเติบโตของทานตะวันถูกยับยั้งโดยซากส่วนรากมากกว่าซากส่วนอื่น ๆ อย่างมี นัยสำคัญทางสถิติ โดยเฉพาะซากส่วนรากของทานตะวันและถั่วเหลืองในส่วนซากข้าวโพดให้ผล ทางส่งเสริมการเจริญเติบโตของทานตะวันเพิ่มขึ้น

สาขาวิชาเทค	โนโลยีการผลิตพืช	ลายมือชื่อนักศึกษา
ปีการศึกษา	2545	ลายมือชื่ออาจารย์ที่ปรึกษา

KITTI SRISA-AD: SEQUENTIAL CROPPING AND INTERCROPPING IN

SUNFLOWER-BASED CROPPING SYSTEM

THESIS ADVISOR: PROF. PAISAN LAOSUWAN, Ph.D. 67 PP.

ISBN 974-533-201-1

Three experiments were conducted during 1999-2002 to investigate the effect of intercropping and sequential cropping in a sunflower-based cropping system. **The first** 

experiment was an intercropping of sunflower with corn and mungbean. The results showed

that the without nitrogen application gave the highest land equivalent ratio(LER) of 1.18 which

was significantly higher than those receiving 6 and 12 kg N/rai. Intercropping of mungbean into

sunflower gave higher LER than that into corn. The higest LER of 1.41 in this experiment was

obtained from the 50:50 intercropping of sunflower and mungbean without nitrogen application.

The second experiment was the sequential cropping of sunflower after sunflower, corn and

soybean using the residual fertilizers applied to preceding crops. It was found that sunflower

planted after soybean yielded higher than that after corn and sunflower, respectively. However,

no difference in yield was found for this experiment. The experiment further showed that yield

of sunflower planted to fertilized plot was higher than that from the control plot. It can be

concluded that fertilizer application to preceding crop was necessary for sequential sunflower.

The third experiment was a pot experiment to study the allelopathic effects of sunflower, corn

and soybean on sunflower. The dry crop residues from root and stem of these crops were ground

and mixed thoroughly with soil filled in pots. The experiment was arranged in a split-plot design

using crop residues as the main plot and types of plant part (root, stem and root + stem) as the

sub-plot. The experiment showed that the residue from the root suppressed the height, biomass,

etc. of sunflower especially the root of sunflower and soybean and that the highest allelopathic

effect was obtained from soil mixed with sunflower residues.